NSN 5930-01-095-6464

Thermostatic Switch - Page 1 of 2

N/a



view Online at https://aerobasegroup.com/nsn/5930-01-095-6464
Hazardous Locations/environmental Protection:
Weatherproof
Overall Height:
0.080 inches
Body Diameter:
0.263 inches
End Application:
Detection st 82577
Tempurature Sensing Element Type:
nternal sensor
Operating Tempurature Rating:
Between 0.0 degrees fahrenheit and 350.0 degrees fahrenheit
Mounting Method:
Terminal, wire-lead
Features Provided:
Hermetically sealed case
Contact Action Stimulus:
Decrease
Nonpile-up Contact Arrangement:
1 pole, single throw, normally open, momentary action
Terminal Type:
Wire lead
Contact Load Current Rating:
1.0 amperes resistive load second voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point not adjustable
Contact Stimulus Rating:
177.00 actuation point degrees fahrenheit and 193.00 actuation point degrees fahrenheit and 207.00 deactuation point degrees fahrenheit
and 223.00 deactuation point degrees fahrenheit and 30.00 differential point degrees fahrenheit
Contact Voltage Rating In Volts:
30.0 dc at sea level second voltage
Special Features:
nsulated wire leads 6.000 in. Min to 7.000 in. Maximum Ig
Frequency In Hertz:
60.0 first voltage
Media For Which Designed:
Gas
Precious Material And Location:
Contacts silver
Precious Material:
Silver
Sholf Life:

NSN 5930-01-095-6464

Thermostatic Switch - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A048b0