## NSN 5930-01-096-0050

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-096-0050

#### **Overall Length:**

1.266 inches

**Overall Height:** 

0.688 inches

### **Overall Width:**

0.391 inches

#### Mounting Slot Width:

0.125 inches

#### **Body Length:**

0.750 inches

#### **Body Height:**

0.438 inches

#### **Distance Between Mounting Facility Centers:**

1.000 inches

#### **Tempurature Sensing Element Type:**

Internal sensor

#### **Operating Tempurature Rating:**

150.0 degrees celsius and -65.0 degrees celsius

## Mounting Method:

Bracket and slot

### **Contact Action Stimulus:**

Increase

#### Mounting Facility Pattern:

Two position in-line

#### Nonpile-up Contact Arrangement:

1 pole, single throw, normally open, momentary action

#### **Terminal Type:**

Tab, solder lug

#### **Contact Load Current Rating:**

1.0 amperes resistive load second voltage

#### **Contact Adjustability:**

Deactuation point adjustable, preset and actuation point adjustable, preset

#### **Contact Adjustment Range:**

+32.00/+131.00 actuation point degrees fahrenheit and +32.00/+131.00 deactuation point degrees fahrenheit

#### **Contact Adjustment Type:**

External deactuation point screw and external actuation point screw

#### **Contact Stimulus Rating:**

110.00 actuation point degrees fahrenheit and 105.00 deactuation point degrees fahrenheit

#### **Contact Voltage Rating In Volts:**

32.0 dc at sea level second voltage

#### Media For Which Designed:

Gas or liquid

# NSN 5930-01-096-0050

Thermostatic Switch - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0

