NSN 5930-01-098-0749

Pressure Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-098-0749

Overall Length:
4.000 inches
Body Diameter:
1.440 inches
Overall Diameter:
1.870 inches
Pressure Switch Type:
Gage
Operating Tempurature Rating:
Between -45.6 degrees celsius and 71.0 degrees celsius
Mounting Method:
Threaded bushing
Thready Qty Per Inch (tpi):
18 single pressure connection
Contact Action Stimulus:
Increase
Proof Pressure:
500.00 pounds per square inch gage
Thread Size:
0.500 inches single threaded bushing
Nonpile-up Contact Arrangement:
1 pole, double throw, one position momentary
Terminal Type:
Wire lead
Contact Load Current Rating:
5.0 amperes resistive load single voltage and 3.0 amperes inductive load single voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point not adjustable
Contact Stimulus Rating:
9.00 actuation point pounds per square inch gage and 7.00 deactuation point pounds per square inch gage and 2.00 differential point
pounds per square inch gage
Contact Voltage Rating In Volts:
28.0 dc at sea level single voltage
Pressure Connector Type:
Flared, threaded external single connection
Media For Which Designed:
Gas or liquid
Style Designator:
Cylindrical
Thread Series Designator:
Npt single threaded bushing
Shelf Life:

N/a

NSN 5930-01-098-0749

Pressure Switch - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A048b0