

View Online at <https://aerobasegroup.com/nsn/5930-01-101-3448>

**Hazardous Locations/environmental Protection:**

Watertight

**Overall Length:**

2.016 inches

**Overall Height:**

9.906 inches

**Overall Width:**

3.813 inches

**Body Height:**

6.375 inches

**Unthreaded Mounting Hole Diameter:**

0.281 inches

**Longest Horizontal Distance Between Mounting Centers:**

3.626 inches

**Longest Vertical Distance Between Mounting Centers:**

3.626 inches

**End Application:**

Mx peacekeeper missile

**Temperature Sensing Element Type:**

Immersion well

**Operating Temperature Rating:**

Between -100.0 degrees fahrenheit and 250.0 degrees fahrenheit

**Mounting Method:**

Flange and unthreaded hole

**Features Provided:**

Electrical access port

**Contact Action Stimulus:**

Increase

**Mounting Facility Pattern:**

Two position diagonal

**Nonpile-up Contact Arrangement:**

1 pole, double throw, one position momentary

**Criticality Code Justification:**

Feat

**Terminal Type:**

Screw

**Contact Load Current Rating:**

10.0 amperes resistive load second voltage

**Contact Adjustability:**

Deactuation point adjustable and actuation point adjustable

**Contact Adjustment Range:**

+15.00/+140.00 actuation point degrees fahrenheit and +14.00/+137.00 deactuation point degrees fahrenheit

**Contact Adjustment Type:**

Internal deactuation point screw and internal actuation point screw

**Contact Voltage Rating In Volts:**

480.0 ac at sea level first voltage

**Special Features:**

Weapon system essential

**Media For Which Designed:**

Liquid

**Style Designator:**

Rectangular

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A048b0