

View Online at <https://aerobasegroup.com/nsn/5930-01-101-7634>

Body Style:

Bushing mounted

Hazardous Locations/environmental Protection:

Corrosion resistant

Overall Length:

2.698 inches

Overall Height:

2.550 inches

Overall Width:

1.000 inches

Case Material:

Metal

Actuator Style:

Roller plunger

Actuator Free Position Height:

1.638 inches

Actuator Roller Diameter:

0.375 inches

Actuator Roller Width:

0.120 inches

Housing Length:

1.060 inches

Housing Bushing Length:

0.920 inches

Maximum Voltage Rating In Volts:

28.0 dc

End Application:

1440-01-087-9844

Inclosure Type:

Fully enclosed

Mounting Method:

Threaded bushing

Thread Size:

0.625 inches

Nonpile-up Contact Arrangement:

1 pole, double throw, one position momentary single switch unit

Switch Release Force:

64.0 ounces

Switch Actuating Force:

Between 96.0 ounces and 192.0 ounces

Actuator Movement:

Between 0.040 pretravel inches and 0.250 overtravel inches and 0.010 differential inches

Contact Load Current Rating At Maximum Rated Voltage:

5.000 amperes resistive dc

Thread Series Designator:

Unef

Terminal Type And Quantity:

1 connector, receptacle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A053a0