NSN 5930-01-102-1534

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-102-1534

Hazardous Locations/environmental Protection:

Dustproof and weatherproof

Overall Length:

Between 4.656 inches and 4.906 inches

Body Diameter:

Between 0.618 inches and 0.625 inches

End Application:

F/tf-15a aircraft 76301

Tempurature Sensing Element Type:

Internal sensor

Operating Tempurature Rating:

Between -100.0 degrees fahrenheit and 400.0 degrees fahrenheit

Mounting Method:

Threaded bushing

Thready Qty Per Inch (tpi):

14 single threaded bushing

Contact Action Stimulus:

Increase

Thread Size:

0.500 inches single threaded bushing

Nonpile-up Contact Arrangement:

1 pole, single throw, normally closed, momentary action

Terminal Type:

Wire lead

Contact Load Current Rating:

5.0 amperes resistive load second voltage

Contact Adjustability:

Deactuation point adjustable, preset and actuation point adjustable, preset

Contact Adjustment Range:

+77.00/+80.00 actuation point degrees fahrenheit and +77.00/+80.00 deactuation point degrees fahrenheit

Contact Adjustment Type:

External deactuation point knob and external actuation point knob

Contact Stimulus Rating:

80.00 actuation point degrees fahrenheit and 77.00 deactuation point degrees fahrenheit

Contact Voltage Rating In Volts:

230.0 ac at sea level first voltage

Media For Which Designed:

Gas

Thread Series Designator:

Npt single threaded bushing

Shelf Life:

N/a

NSN 5930-01-102-1534

Thermostatic Switch - Page 2 of 2



			ıre:

--

Demilitarization:

No

Fiig:

A048b0