## NSN 5930-01-102-2772

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-102-2772

## **Hazardous Locations/environmental Protection:**

Dustproof and weatherproof

**Overall Length:** 

Between 4.656 inches and 4.906 inches

**Body Diameter:** 

Between 0.618 inches and 0.625 inches

**End Application:** 

F/tf-15a aircraft 76301

**Tempurature Sensing Element Type:** 

Internal sensor

**Operating Tempurature Rating:** 

Between -100.0 degrees fahrenheit and 400.0 degrees fahrenheit

**Mounting Method:** 

Threaded bushing

Thready Qty Per Inch (tpi):

14 single threaded bushing

**Contact Action Stimulus:** 

Increase

**Thread Size:** 

0.500 inches single threaded bushing

**Nonpile-up Contact Arrangement:** 

1 pole, single throw, normally closed, momentary action

**Terminal Type:** 

Wire lead

**Contact Load Current Rating:** 

5.0 amperes resistive load second voltage

**Contact Adjustability:** 

Deactuation point adjustable, preset and actuation point adjustable, preset

**Contact Adjustment Range:** 

+128.00/+135.00 actuation point degrees fahrenheit and +128.00/+135.00 deactuation point degrees fahrenheit

**Contact Adjustment Type:** 

External deactuation point knob and external actuation point knob

**Contact Stimulus Rating:** 

130.00 actuation point degrees fahrenheit and 2.00 differential point degrees fahrenheit and 5.00 differential point degrees fahrenheit

**Contact Voltage Rating In Volts:** 

230.0 ac at sea level first voltage

Media For Which Designed:

Gas

**Thread Series Designator:** 

Npt single threaded bushing

Shelf Life:

N/a

## NSN 5930-01-102-2772

Thermostatic Switch - Page 2 of 2



			ure:	

--

Demilitarization:

No

Fiig:

A048b0