NSN 5930-01-102-3685

Flow Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-102-3685
Hazardous Locations/environmental Protection:
Dustproof
Overall Length:
4.000 inches
Overall Height:
1.250 inches
Overall Width:
1.531 inches
Body Length:
2.000 inches
Operating Tempurature Rating:
Between -35.0 degrees celsius and 55.0 degrees celsius
Mounting Method:
Threaded hole
Features Provided:
Electrical access port
Contact Action Stimulus:
Increase
Thread Size:
0.190 inches single threaded hole
Nonpile-up Contact Arrangement:
1 pole, double throw, one position momentary
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
5.0 amperes resistive load single voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point not adjustable
Contact Stimulus Rating:
1800.00 actuation point feet per minute and 1790.00 actuation point feet per minute and 1760.00 actuation point feet per minute and
1595.00 actuation point feet per minute and 1675.00 deactuation point feet per minute and 1580.00 deactuation point feet per minute and
1580.00 deactuation point feet per minute and 1425.00 deactuation point feet per minute and 125.00 differential point feet per minute and
210.00 differential point feet per minute and 180.00 differential point feet per minute and 170.00 differential point feet per minute
Contact Voltage Rating In Volts:
250.0 ac at sea level single voltage
Media For Which Designed:
Gas or liquid
Precious Material And Location:
Contacts silver
Precious Material:
Silver
Thread Series Designator:

Unf single threaded hole

Shelf Life:

NI/o

NSN 5930-01-102-3685

Flow Switch - Page 2 of 2

Unit Of Measure:

Demilitarization:

No

Fiig:

A048b0

