## NSN 5930-01-106-7006

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-106-7006 **Overall Length:** 0.956 inches **Overall Height:** 0.300 inches **Body Diameter:** 0.660 inches **Tempurature Sensing Element Type:** Internal sensor **Operating Tempurature Rating:** Between -10.0 degrees fahrenheit and 400.0 degrees fahrenheit **Mounting Method:** Clamp **Features Provided:** Hermetically sealed case **Contact Action Stimulus:** Increase **Nonpile-up Contact Arrangement:** 1 pole, single throw, normally open, momentary action **Terminal Type:** Tab, solder lug **Contact Load Current Rating:** 2.0 amperes resistive load second voltage and 1.0 amperes inductive load second voltage **Contact Adjustability:** Deactuation point not adjustable and actuation point not adjustable **Contact Stimulus Rating:** 2.00 differential point degrees fahrenheit and 4.00 differential point degrees fahrenheit and 140.00 actuation point degrees fahrenheit **Contact Voltage Rating In Volts:** 28.0 dc at sea level second voltage Frequency In Hertz: 60.0 single voltage Media For Which Designed: Style Designator: Disc **Test Data Document:** 81349-mil-s-24236 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a **Unit Of Measure:** 

No

**Demilitarization:** 

## NSN 5930-01-106-7006

Thermostatic Switch - Page 2 of 2



Fiig:

A048b0