## NSN 5930-01-109-7568

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-109-7568 **Overall Height:** 0.315 inches **Body Diameter:** 0.650 inches **Body Height:** 0.295 inches **Unthreaded Mounting Hole Diameter:** 0.104 inches **Distance Between Mounting Facility Centers:** 0.937 inches **Tempurature Sensing Element Type:** Internal sensor **Operating Tempurature Rating:** Between -65.0 degrees fahrenheit and 270.0 degrees fahrenheit **Mounting Method:** Bracket and unthreaded hole **Contact Action Stimulus:** Increase **Mounting Facility Pattern:** Two position in-line **Nonpile-up Contact Arrangement:** 1 pole, single throw, normally closed, momentary action **Terminal Type:** Tab, solder lug **Contact Load Current Rating:** 3.0 amperes resistive load single voltage **Contact Adjustability:** Deactuation point not adjustable and actuation point not adjustable **Contact Stimulus Rating:** 167.00 actuation point degrees fahrenheit and 162.00 deactuation point degrees fahrenheit **Contact Voltage Rating In Volts:** 125.0 ac at sea level single voltage Media For Which Designed: Gas or liquid **Precious Material And Location:** Contacts silver **Precious Material:** Silver Shelf Life: N/a

**Unit Of Measure:** 

## NSN 5930-01-109-7568

Thermostatic Switch - Page 2 of 2



_		••	• •				
וו	em	ш	112	rız	211	n	٠.

No

Fiig:

A048b0