## NSN 5930-01-110-7363

Pressure Switch - Page 1 of 2



view Online at https://aerobasegroup.com/hsn/5930-01-110-7363
Overall Length:
1.880 inches
Outside Diameter:
0.188 inches all connections
Overall Height:
0.480 inches
Overall Width:
1.510 inches
Body Length:
1.000 inches
Unthreaded Mounting Hole Diameter:
0.100 inches
Longest Horizontal Distance Between Mounting Centers:
0.720 inches
Longest Vertical Distance Between Mounting Centers:
0.720 inches
End Application:
Communications central an/bsc-1
Pressure Switch Type:
Gage
Operating Tempurature Rating:
Between -40.0 degrees fahrenheit and 150.0 degrees fahrenheit
Mounting Method:
Base and unthreaded hole
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Four position rectangular
Nonpile-up Contact Arrangement:
1 pole, single throw, normally open, double make, momentary action
Sensing Element Burst Pressure:
8.00 pounds per square inch gage
Terminal Type:
Quick disconnect, male
Contact Load Current Rating:
10.0 milliamperes resistive load second voltage
Contact Adjustability:
Actuation point not adjustable
Contact Stimulus Rating:
1.00 actuation point inches of water

**Contact Voltage Rating In Volts:** 30.0 dc at sea level second voltage

## **NSN 5930-01-110-7363**Pressure Switch - Page 2 of 2



Pressure Connector Type:
Barbed, unthreaded external all connections
Media For Which Designed:
Gas or liquid
Style Designator:
Rectangular
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A048b0