

View Online at <https://aerobasegroup.com/nsn/5930-01-110-9822>

**Hazardous Locations/environmental Protection:**

Dustproof and watertight

**Overall Length:**

4.750 inches

**Overall Height:**

8.563 inches

**Overall Width:**

2.094 inches

**Body Height:**

2.938 inches

**Unthreaded Mounting Hole Diameter:**

0.188 inches

**Distance Between Mounting Facility Centers:**

5.250 inches

**End Application:**

Misc parts 19278

**Temperature Sensing Element Type:**

Bulb

**Operating Temperature Rating:**

Between -10.0 degrees fahrenheit and 245.0 degrees fahrenheit

**Mounting Method:**

Bracket and unthreaded hole

**Contact Action Stimulus:**

Increase

**Mounting Facility Pattern:**

Two position in-line

**Nonpile-up Contact Arrangement:**

1 pole, single throw, normally open, momentary action

**Terminal Type:**

Screw

**Contact Load Current Rating:**

9.6 amperes resistive load fourth voltage

**Contact Adjustability:**

Deactuation point adjustable and actuation point adjustable

**Contact Adjustment Range:**

+140.00/+215.00 actuation point degrees fahrenheit and +135.00/+213.00 deactuation point degrees fahrenheit

**Contact Adjustment Type:**

External deactuation point shaft and external actuation point shaft

**Contact Voltage Rating In Volts:**

550.0 dc at sea level third voltage

**Media For Which Designed:**

Gas

**Precious Material And Location:**

Contacts silver

**Precious Material:**

Silver

**Style Designator:**

Rectangular

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A048b0