NSN 5930-01-110-9824

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-110-9824

Thread Class:
2a all threaded stud
Hazardous Locations/environmental Protection:
Watertight
Overall Height:
0.567 inches
Body Height:
0.290 inches
Overall Diameter:
0.640 inches
End Application:
Jss/rocc 05869
Tempurature Sensing Element Type:
Internal sensor
Mounting Method:
Threaded stud
Thready Qty Per Inch (tpi):
32 all threaded stud
Contact Action Stimulus:
Increase
Thread Size:
0.138 inches all threaded stud
Nonpile-up Contact Arrangement:
1 pole, single throw, normally open, momentary action
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
5.0 amperes resistive load third voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point not adjustable
Contact Stimulus Rating:
135.00 actuation point degrees fahrenheit and 123.00 deactuation point degrees fahrenheit
Contact Voltage Rating In Volts:
30.0 dc at sea level third voltage
Media For Which Designed:
Gas
Style Designator:
Disc
Thread Series Designator:
Unc all threaded stud
Shelf Life:

N/a

NSN 5930-01-110-9824

Thermostatic Switch - Page 2 of 2



ı	In	it I	Of	· M	دما	e i	ıre:
ι	JΝ	II '	ωı	IV	еа	SU	ıre:

--

Demilitarization:

No

Fiig:

A048b0