

View Online at <https://aerobasegroup.com/nsn/5930-01-111-9972>

**Thread Class:**

3a single threaded bushing

**Body Diameter:**

0.665 inches

**Body Length:**

1.500 inches

**Tempurature Sensing Element Type:**

Internal sensor

**Width Across Flats:**

1.000 inches

**Operating Tempurature Rating:**

400.0 degrees fahrenheit

**Mounting Method:**

Threaded bushing

**Features Provided:**

Hermetically sealed case

**Thready Qty Per Inch (tpi):**

16 single threaded bushing

**Contact Action Stimulus:**

Decrease

**Thread Size:**

0.750 inches single threaded bushing

**Nonpile-up Contact Arrangement:**

1 pole, single throw, normally closed, momentary action

**Terminal Type:**

Connector, receptacle

**Contact Load Current Rating:**

2.0 amperes resistive load second voltage and 1.0 amperes inductive load second voltage and 1.0 amperes lamp load second voltage

**Contact Adjustability:**

Deactuation point not adjustable and actuation point not adjustable

**Contact Stimulus Rating:**

7.00 differential point degrees fahrenheit and 310.00 actuation point degrees fahrenheit

**Contact Voltage Rating In Volts:**

28.0 dc at sea level second voltage

**Frequency In Hertz:**

60.0 first voltage

**Thread Series Designator:**

Unf single threaded bushing

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A048b0

**Mil-std (military Standard):**

Mil-s-24236 spec.