## NSN 5930-01-117-1581

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-117-1581

New Online at https://aeiobasegroup.com/hsn/3930-01-117-1361
Hazardous Locations/environmental Protection:
Weatherproof
Overall Height:
0.607 inches
Body Diameter:
0.640 inches
Body Height:
0.315 inches
Unthreaded Mounting Hole Diameter:
0.140 inches
Distance Between Mounting Facility Centers:
0.937 inches
End Application:
An/arc-190 13499
Tempurature Sensing Element Type:
Internal sensor
Operating Tempurature Rating:
100.0 degrees celsius and -62.0 degrees celsius
Mounting Method:
Bracket and unthreaded hole
Features Provided:
Hermetically sealed case
Contact Action Stimulus:
Decrease
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, single throw, normally open, momentary action
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
5.5 amperes resistive load third voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point not adjustable
Contact Stimulus Rating:
210.00 actuation point degrees fahrenheit and 225.00 deactuation point degrees fahrenheit
Contact Voltage Rating In Volts:
30.0 dc at sea level third voltage
Media For Which Designed:
Gas
Shelf Life:
N/a

## NSN 5930-01-117-1581

Thermostatic Switch - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A048b0

