

View Online at <https://aerobasegroup.com/nsn/5930-01-118-9206>

**Thread Class:**

3a single pressure connection

**Hazardous Locations/environmental Protection:**

Explosion proof

**Overall Length:**

3.500 inches

**Overall Diameter:**

1.120 inches

**End Application:**

Envir system 76301

**Pressure Switch Type:**

Gage

**Operating Temperature Rating:**

Between -65.0 degrees fahrenheit and 300.0 degrees fahrenheit

**Mounting Method:**

Outlet connection

**Features Provided:**

Electrical access port

**Thready Qty Per Inch (tpi):**

20 single pressure connection

**Contact Action Stimulus:**

Increase

**Proof Pressure:**

185.00 pounds per square inch gage

**Thread Size:**

0.438 inches single pressure connection

**Nonpile-up Contact Arrangement:**

1 pole, single throw, normally closed, momentary action

**Sensing Element Burst Pressure:**

250.00 pounds per square inch gage

**Terminal Type:**

Connector, receptacle

**Contact Load Current Rating:**

1.3 amperes resistive load single voltage

**Contact Adjustability:**

Deactuation point not adjustable and actuation point not adjustable

**Contact Stimulus Rating:**

26.00 actuation point pounds per square inch gage and 23.00 deactuation point pounds per square inch gage and 3.00 differential point pounds per square inch gage

**Contact Voltage Rating In Volts:**

28.0 dc at sea level single voltage

**Pressure Connector Type:**

Swivel, plain, threaded external single connection

**Media For Which Designed:**

Gas

**Thread Series Designator:**

Unf single pressure connection

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A048b0