# NSN 5930-01-119-7461

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-119-7461

## Thread Class:

3a single threaded bushing

#### **Thread Length:**

0.375 inches single threaded bushing and 0.405 inches single threaded bushing

## Hazardous Locations/environmental Protection:

General purpose-nema type 1

#### **Overall Length:**

Between 6.734 inches and 6.764 inches

#### **Body Length:**

Between 4.297 inches and 4.327 inches

#### **Overall Diameter:**

1.350 inches

End Application:

Ef111aacfttac 26512

#### **Tempurature Sensing Element Type:**

Immersion well

Width Across Flats:

Between 1.360 inches and 1.375 inches

#### **Operating Tempurature Rating:**

Between -65.0 degrees fahrenheit and 600.0 degrees fahrenheit

#### **Mounting Method:**

Threaded bushing

## Features Provided:

Hermetically sealed case

#### Thready Qty Per Inch (tpi):

20 single threaded bushing

#### **Contact Action Stimulus:**

Increase

## Thread Size:

0.500 inches single threaded bushing

## Nonpile-up Contact Arrangement:

1 pole, single throw, normally open, momentary action

## **Terminal Type:**

Connector, receptacle

# **Contact Load Current Rating:**

5.0 amperes resistive load single voltage

# Contact Adjustability:

Deactuation point not adjustable and actuation point not adjustable

## **Contact Stimulus Rating:**

115.00 actuation point degrees fahrenheit and 112.00 deactuation point degrees fahrenheit

# Contact Voltage Rating In Volts:

125.0 ac at sea level single voltage

# NSN 5930-01-119-7461

Thermostatic Switch - Page 2 of 2

**Frequency In Hertz:** 60.0 single voltage Media For Which Designed: Gas or liquid Style Designator: Cylindrical **Thread Series Designator:** Unf single threaded bushing Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A048b0

