NSN 5930-01-119-7462

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-119-7462

Thread Class:
3a single threaded bushing
Hazardous Locations/environmental Protection:
Weatherproof
Overall Length:
2.438 inches
Body Length:
1.407 inches
Overall Diameter:
0.875 inches
End Application:
Ef111aacfttac 26512
Tempurature Sensing Element Type:
Bulb
Width Across Flats:
0.750 inches
Operating Tempurature Rating:
Between -65.0 degrees fahrenheit and 200.0 degrees fahrenheit
Mounting Method:
Threaded bushing
Thready Qty Per Inch (tpi):
20 single threaded bushing
Contact Action Stimulus:
Increase
Thread Size:
0.500 inches single threaded bushing
Nonpile-up Contact Arrangement:
1 pole, single throw, normally open, momentary action
Terminal Type:
Connector, receptacle
Contact Load Current Rating:
2.0 amperes resistive load second voltage and 500.0 milliamperes inductive load second voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point not adjustable
Contact Stimulus Rating:
185.00 actuation point degrees fahrenheit and 170.00 deactuation point degrees fahrenheit and 15.00 differential point degrees fahrenhei
Contact Voltage Rating In Volts:
28.0 dc at sea level second voltage
Frequency In Hertz:
400.0 first voltage

Gas or liquid

Media For Which Designed:

NSN 5930-01-119-7462

Thermostatic Switch - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0