NSN 5930-01-123-2418

Slide Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-123-2418

Body Style:
Hole mounted
Overall Length:
0.793 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
0.590 inches
Overall Height:
0.831 inches
Overall Width:
0.370 inches
Body Length:
0.793 inches
Body Width:
0.370 inches
Body Height:
0.480 inches
Case Material:
Plastic
Actuator Length:
0.273 inches
Actuator Height:
0.235 inches
Actuator Width:
0.154 inches
Actuator Position-action Relationship:
Up position maintained and down position maintained
Maximum Voltage Rating In Volts:
5.0 dc
End Application:
4920-01-053-8598
Mounting Method:
Threaded hole
Thready Qty Per Inch (tpi):
40
Thread Size:
0.112 inches
Nonpile-up Contact Arrangement:
6 pole, double throw, both positions maintained single switch unit
Contact Load Current Rating At Maximum Rated Voltage:

Contact surfaces gold

10.000 milliamperes resistive dc **Precious Material And Location:**

NSN 5930-01-123-2418 Slide Switch - Page 2 of 2



Inread Series Designator:
Unc
Terminal Type And Quantity:
18 printed circuit
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A053a0