

View Online at <https://aerobasegroup.com/nsn/5930-01-128-3724>

**Thread Class:**

2b single pressure connection

**Inside Diameter:**

0.217 inches single connection

**Overall Length:**

3.500 inches

**Body Length:**

2.100 inches

**Overall Diameter:**

1.762 inches

**Unthreaded Mounting Hole Diameter:**

0.272 inches

**Distance Between Mounting Facility Centers:**

1.012 inches

**End Application:**

Hydraulic sys

**Pressure Switch Type:**

Gage

**Mounting Method:**

Unthreaded hole

**Thready Qty Per Inch (tpi):**

11 single pressure connection

**Contact Action Stimulus:**

Increase

**Proof Pressure:**

4500.00 pounds per square inch gage

**Thread Size:**

0.217 inches single pressure connection

**Mounting Facility Pattern:**

Two position in-line

**Nonpile-up Contact Arrangement:**

1 pole, double throw, both positions maintained

**Sensing Element Burst Pressure:**

7500.00 pounds per square inch gage

**Terminal Type:**

Connector, receptacle

**Contact Load Current Rating:**

50.0 milliamperes resistive load single voltage

**Contact Adjustability:**

Deactuation point not adjustable and actuation point not adjustable

**Contact Stimulus Rating:**

1800.00 actuation point pounds per square inch gage and 1500.00 deactuation point pounds per square inch gage and 300.00 differential point pounds per square inch gage

**Contact Voltage Rating In Volts:**

28.0 dc at sea level single voltage

**Pressure Connector Type:**

Plain, threaded internal single connection

**Media For Which Designed:**

Gas or liquid

**Style Designator:**

Cylindrical

**Thread Series Designator:**

Uns single pressure connection

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A048b0