## NSN 5930-01-129-7668



Thermostatic Switch - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5930-01-129-7668 **Body Height:** 0.494 inches **Overall Diameter:** 0.625 inches **End Application:** Cp-1498/g **Tempurature Sensing Element Type:** Internal sensor **Mounting Method:** Threaded stud Thready Qty Per Inch (tpi): 32 all threaded stud **Contact Action Stimulus:** Increase **Thread Size:** 0.138 inches all threaded stud **Nonpile-up Contact Arrangement:** 1 pole, single throw, normally closed, momentary action **Criticality Code Justification:** Feat **Terminal Type:** Tab, solder lug **Contact Load Current Rating:** 5.0 amperes resistive load single voltage **Contact Adjustability:** Deactuation point not adjustable and actuation point not adjustable **Contact Stimulus Rating:** 212.00 actuation point degrees fahrenheit and 162.00 deactuation point degrees fahrenheit **Contact Voltage Rating In Volts:** 125.0 ac at sea level single voltage **Special Features:** Weapon system essential Media For Which Designed: Gas or liquid **Precious Material And Location:** Contacts gold **Precious Material:** Gold **Thread Series Designator:** 

Shelf Life: N/a

Unc all threaded stud

## NSN 5930-01-129-7668

Thermostatic Switch - Page 2 of 2



|    | • • |             |    |     |      |
|----|-----|-------------|----|-----|------|
| In | 18  | <i>(</i> )+ | МА | 261 | ıre: |
|    |     |             |    |     |      |

--

Demilitarization:

No

Fiig:

A048b0