NSN 5930-01-130-5134

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-130-5134

Overall Length:
1.183 inches
Overall Height:
0.315 inches
Body Diameter:
0.650 inches
Body Height:
0.315 inches
Unthreaded Mounting Hole Diameter:
Between 0.104 inches and 0.112 inches
Distance Between Mounting Facility Centers:
0.937 inches
Tempurature Sensing Element Type:
Internal sensor
Operating Tempurature Rating:
Between -65.0 degrees fahrenheit and 275.0 degrees fahrenheit
Mounting Method:
Bracket and unthreaded hole
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, single throw, normally open, momentary action
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
500.0 milliamperes resistive load first voltage1.0 amperes resistive load second voltage3.0 amperes resistive load third voltage3.0 ampere
resistive load fourth voltage
Contact Adjustability:
Actuation point not adjustable
Contact Stimulus Rating:
158.00 actuation point degrees fahrenheit
Contact Voltage Rating In Volts:
230.0 ac at sea level first voltage115.0 ac at sea level second voltage30.0 ac at sea level third voltage30.0 dc at sea level fourth voltage
Frequency In Hertz:
60.0 first voltage60.0 second voltage60.0 third voltage
Media For Which Designed:
Gas

Silver

Precious Material And Location:

Contact surfaces silver

Precious Material:

NSN 5930-01-130-5134

Thermostatic Switch - Page 2 of 2



Style Designator:
Disc w/flange
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Fiig: A048b0

No