NSN 5930-01-135-3455

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-135-3455

g
Thread Class:
3a single threaded bushing
Overall Length:
2.438 inches
Body Diameter:
0.312 inches
Body Length:
1.094 inches
End Application:
Ind light
Tempurature Sensing Element Type:
Immersion well
Width Across Flats:
0.750 inches
Operating Tempurature Rating:
Between -20.0 degrees fahrenheit and 600.0 degrees fahrenheit
Mounting Method:
Threaded bushing
Features Provided:
Electrical box connector
Thready Qty Per Inch (tpi):
20 single threaded bushing
Contact Action Stimulus:
Increase
Thread Size:
0.500 inches single threaded bushing
Nonpile-up Contact Arrangement:
1 pole, single throw, normally open, momentary action
Terminal Type:
Connector, receptacle
Contact Load Current Rating:
2.0 amperes resistive load second voltage and 500.0 milliamperes inductive load second voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point not adjustable
Contact Stimulus Rating:
100.00 actuation point degrees fahrenheit and 95.00 deactuation point degrees fahrenheit
Contact Voltage Rating In Volts:
28.0 dc at sea level second voltage
Media For Which Designed:
Gas or liquid
Style Designator:
- · · · · · · · · · · · · · · · · · · ·

Cylindrical w/flange

NSN 5930-01-135-3455

Thermostatic Switch - Page 2 of 2



Thread	Series	Design	ator

Unf single threaded bushing

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0