# NSN 5930-01-139-5176

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-139-5176

# Thread Class:

2a single mounting facility

# Thread Length:

0.469 inches single mounting facility

# Hazardous Locations/environmental Protection:

Watertight

## **Overall Length:**

2.657 inches

## Shaft Diameter:

0.250 inches single actuator

## Shaft Length:

1.657 inches single actuator

# **Overall Diameter:**

2.000 inches

## Individual Section Quantity:

1

#### Knob Manufacturer Code:

82121

#### Switch Contact Basic Design:

Nonpile-up symmetrical

#### Pole Quantity:

1 single section rear

#### Throw Quantity:

3 single section rear

#### **Mounting Method:**

Threaded bushing w/panel seal single mounting facility

#### Features Provided:

Actuator knob

#### Thready Qty Per Inch (tpi):

32 single mounting facility

#### Thread Size:

0.469 inches single mounting facility

#### **Contact Voltage Rating In Volts:**

125.0 ac at sea level

#### Switch Actuator Momentary Position:

Counterclockwise single actuator

### Switch Actuator Indexing Position Quantity:

3 single actuator

Shaft Type:

Round single actuator

#### **Terminal Type:**

Tab w/screw

# NSN 5930-01-139-5176

Rotary Switch - Page 2 of 2



**Contact Switching Action:** Breaks before makes single section rear Switch Actuator Positioning Increment: 45.0 degrees single actuator Switch Actuator Stop Device Type: Fixed stop single actuator **Contact Load Current Rating:** 5.0 amperes resistive load ac at sea level **Special Features:** Round threaded hole shaft Style Designator: Tap, circular, bushing mount **Thread Series Designator:** Uns single mounting facility Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A052b0