# NSN 5930-01-142-4967

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-142-4967

## Thread Class:

2b single mounting facility

# Hazardous Locations/environmental Protection:

Dustproof

# Overall Length:

3.594 inches

## **Overall Height:**

2.500 inches

## Shaft Diameter:

0.250 inches single actuator

## Shaft Length:

1.188 inches single actuator

# Individual Section Quantity:

2

## Knob Manufacturer Code:

82121

## Longest Horizontal Distance Between Mounting Centers:

1.641 inches single mounting facility

## Longest Vertical Distance Between Mounting Centers:

1.641 inches single mounting facility

## Switch Contact Basic Design:

Nonpile-up symmetrical

#### Pole Quantity:

1 each section rear

#### Throw Quantity:

3 each section rear

## **Mounting Method:**

Threaded hole single mounting facility

## Features Provided:

Actuator knob

# Thready Qty Per Inch (tpi):

24 single mounting facility

## Thread Size:

0.190 inches single mounting facility

# Contact Voltage Rating In Volts:

125.0 ac at sea level

# Switch Actuator Momentary Position:

Counterclockwise single actuator

## Mounting Facility Pattern:

Four position rectangular single mounting facility

# Switch Actuator Indexing Position Quantity:

3 single actuator

# NSN 5930-01-142-4967

Rotary Switch - Page 2 of 2



Shaft Type: Round single actuator **Terminal Type:** Tab w/screw **Contact Switching Action:** Breaks before makes each section rear Switch Actuator Positioning Increment: 90.0 degrees single actuator Switch Actuator Stop Device Type: Fixed stop single actuator **Contact Load Current Rating:** 10.0 amperes resistive load ac at sea level **Special Features:** Round threaded hole shaft Style Designator: Tap, circuit selector **Thread Series Designator:** Unc single mounting facility Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig:

A052b0