## NSN 5930-01-145-8690

Thermostatic Switch - Page 1 of 2

**Hazardous Locations/environmental Protection:** 

Dusttight

Liquid

Overall Length: 3.950 inches Overall Height: 4.390 inches Overall Width: 2.140 inches Body Length:



View Online at https://aerobasegroup.com/nsn/5930-01-145-8690

1.810 inches
Capillary Tube Length:
72.0 inches
Bulb Length:
4.000 inches
Bulb Diameter:
0.375 inches
Tempurature Sensing Element Type:
Capillary tube-bulb
Mounting Method:
Immersion well and threaded bushing
Thready Qty Per Inch (tpi):
14 single threaded bushing
Contact Action Stimulus:
Increase
Thread Size:
0.750 inches single threaded bushing
Nonpile-up Contact Arrangement:
1 pole, double throw, one position momentary
Terminal Type:
Screw
Contact Load Current Rating:
6.0 amperes resistive load second voltage
Contact Adjustability:
Actuation point adjustable
Contact Adjustment Range:
-30.00/+100.00 actuation point degrees fahrenheit
Contact Adjustment Type:
External actuation point knob with scale
Contact Voltage Rating In Volts:
240.0 ac at sea level second voltage
Media For Which Designed:

## NSN 5930-01-145-8690

Thermostatic Switch - Page 2 of 2



Style Designator:
Rectangular

**Thread Series Designator:** 

Npt single threaded bushing

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A048b0