NSN 5930-01-150-1002

Pressure Switch - Page 1 of 2

Overall Length:



View Online at https://aerobasegroup.com/nsn/5930-01-150-1002

5.188 inches				
Overall Width:				
2.812 inches				
Body Height:				
2.750 inches				
Unthreaded Mounting Hole Diameter:				
0.281 inches				
Longest Horizontal Distance Between Mounting Centers:				
2.406 inches				
Shortest Horizontal Distance Between Mounting Centers:				
0.656 inches				
Longest Vertical Distance Between Mounting Centers:				
3.281 inches				
Pressure Switch Type:				
Gage				
Mounting Method:				
Bracket and unthreaded hole				
Features Provided:				
Electrical access port				
Thready Qty Per Inch (tpi):				
20 single pressure connection				
Contact Action Stimulus:				
Increase				
Thread Size:				
0.438 inches single pressure connection				
Mounting Facility Pattern:				
Isosceles triangle				
Nonpile-up Contact Arrangement:				
1 pole, single throw, normally closed, momentary action				
Terminal Type:				
Screw				
Contact Load Current Rating:				
9.6 amperes inductive load fourth voltage				
Contact Adjustability:				
Deactuation point adjustable and actuation point adjustable				
Contact Adjustment Type:				
External deactuation point screw and external actuation point screw				
Contact Voltage Rating In Volts:				
550.0 dc at sea level third voltage				
Pressure Connector Type:				
Flared, threaded external single connection				

NSN 5930-01-150-1002

Pressure Switch - Page 2 of 2



Media	For	Which	Designed:

Gas or liquid

Thread Series Designator:

Unf single pressure connection

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0