

View Online at <https://aerobasegroup.com/nsn/5930-01-150-1639>

Thread Class:

2a all pressure connection

Overall Length:

2.260 inches

Overall Height:

3.317 inches

Body Diameter:

1.600 inches

Pressure Switch Type:

Differential

Operating Temperature Rating:

Between 60.0 degrees fahrenheit and 149.0 degrees fahrenheit

Mounting Method:

Inlet connection and outlet connection

Features Provided:

Electrical box connector

Contact Action Stimulus:

Increase

Proof Pressure:

225.00 pounds per square inch

Thread Size:

0.438 inches single pressure connection

Nonpile-up Contact Arrangement:

1 pole, double throw, one position momentary

Sensing Element Burst Pressure:

375.00 pounds per square inch

Terminal Type:

Connector, receptacle

Contact Load Current Rating:

600.0 milliamperes resistive load single voltage

Contact Adjustability:

Deactuation point not adjustable and actuation point not adjustable

Contact Stimulus Rating:

1.20 actuation point pounds per square inch and 0.50 deactuation point pounds per square inch and 0.70 differential point pounds per square inch

Contact Voltage Rating In Volts:

30.0 dc at sea level single voltage

Pressure Connector Type:

Flared, threaded external all connections

Media For Which Designed:

Liquid

Thread Series Designator:

Unf all pressure connection

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0