## NSN 5930-01-155-4897

Push Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-155-4897

View Online at https://aerobasegroup.com/nsn/5930-01-155-4897
Body Style:
Panel mounted
Hazardous Locations/environmental Protection:
Explosion proof
Overall Length:
2.620 inches
Overall Height:
0.750 inches
Overall Width:
0.750 inches
Body Width:
0.750 inches
Body Height:
0.688 inches
Case Material:
Metal
Maximum Voltage Rating In Volts:
115.0 ac and 28.0 dc
End Application:
Sounding set, sonar an/bqn-17
Mounting Surface To Terminal End Distance:
2.620 inches
Inclosure Type:
Fully enclosed
Mounting Method:
Panel
Features Provided:
Rfi shielding
Nonpile-up Contact Arrangement:
2 pole, double throw, both positions maintained single switch unit
Contact Load Current Rating At Maximum Rated Voltage:
7.000 amperes resistive dc and 4.000 amperes inductive dc and 2.500 amperes lamp dc and 7.000 amperes resistive ac and 7.000 amperes
inductive ac and 2.000 amperes lamp ac
Special Features:
Five lamp terminals provided
Precious Material And Location:
Contacts silver
Terminal Type And Quantity:
6 turret and 5 tab, solder lug
Shelf Life:
N/a

--

**Unit Of Measure:** 

## NSN 5930-01-155-4897

Push Switch - Page 2 of 2



Demilitarization:

No

Fiig:

A053a0