NSN 5930-01-156-9912

Pressure Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-156-9912

Overall Length:
3.469 inches
Overall Height:
6.060 inches
Overall Width:
2.594 inches
Body Height:
3.900 inches
Unthreaded Mounting Hole Diameter:
0.280 inches
Longest Horizontal Distance Between Mounting Centers:
2.720 inches
Longest Vertical Distance Between Mounting Centers:
2.720 inches
End Application:
Used on an emd diesel engine model nos. Gm eql8645e6 and gm eqr8645e6 aboard 180 ft. Class coast guard vessels
Pressure Switch Type:
Gage
Mounting Method:
Unthreaded hole
Contact Action Stimulus:
Increase
Proof Pressure:
300.00 pounds per square inch
Mounting Facility Pattern:
Two position diagonal
Nonpile-up Contact Arrangement:
2 pole, double throw, both positions maintained
Terminal Type:
Screw
Contact Load Current Rating:
0.3 amperes resistive load second voltage
Contact Adjustability:
Actuation point adjustable
Contact Adjustment Range:
+10.00/+265.00 actuation point pounds per square inch
Contact Adjustment Type:
Internal actuation point screw
Contact Voltage Rating In Volts:
230.0 ac at sea level first voltage

Special Features:

Electrical connection-1/2conduit

NSN 5930-01-156-9912

Pressure Switch - Page 2 of 2



Media For Which Designed:
Liquid
Style Designator:
Rectangular
Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A048b0