

Thermostatic Switch - Page 1 of 2  View Online at https://aerobasegroup.com/nsn/5930-01-157-9501  Thread Class: 2a single threaded stud Thread Length: 0.375 inches single threaded stud Overall Height: 1.000 inches Body Height: 0.467 inches Overall Diameter: 0.625 inches Tempurature Sensing Element Type: Internal sensor Mounting Method: Threadd stud Thready Qty Per Inch (tpi): 32 single threaded stud Contact Action Stimulus: Increase Thread Size: 0.138 inches single threaded stud Nonpile-up Contact Arrangement: 1 pole, single throw, normally closed, momentary action Terminal Type: Quick disconnect, male	A
2a single threaded stud  Thread Length: 0.375 inches single threaded stud  Overall Height: 1.000 inches  Body Height: 0.467 inches  Overall Diameter: 0.625 inches  Tempurature Sensing Element Type: Internal sensor  Mounting Method: Threaded stud  Thready Qty Per Inch (tpi): 32 single threaded stud  Contact Action Stimulus: Increase  Thread Size: 0.138 inches single threaded stud  Nonpile-up Contact Arrangement: 1 pole, single throw, normally closed, momentary action  Terminal Type:	
2a single threaded stud  Thread Length: 0.375 inches single threaded stud  Overall Height: 1.000 inches  Body Height: 0.467 inches  Overall Diameter: 0.625 inches  Tempurature Sensing Element Type: Internal sensor  Mounting Method: Threaded stud  Thready Qty Per Inch (tpi): 32 single threaded stud  Contact Action Stimulus: Increase  Thread Size: 0.138 inches single threaded stud  Nonpile-up Contact Arrangement: 1 pole, single throw, normally closed, momentary action  Terminal Type:	
Thread Length:  0.375 inches single threaded stud  Overall Height:  1.000 inches  Body Height:  0.467 inches  Overall Diameter:  0.625 inches  Tempurature Sensing Element Type: Internal sensor  Mounting Method: Threaded stud  Thready Qty Per Inch (tpi):  32 single threaded stud  Contact Action Stimulus: Increase  Thread Size:  0.138 inches single threaded stud  Nonpile-up Contact Arrangement:  1 pole, single throw, normally closed, momentary action  Terminal Type:	
0.375 inches single threaded stud  Overall Height:  1.000 inches  Body Height:  0.467 inches  Overall Diameter:  0.625 inches  Tempurature Sensing Element Type: Internal sensor  Mounting Method: Threaded stud  Thready Qty Per Inch (tpi):  32 single threaded stud  Contact Action Stimulus: Increase  Thread Size:  0.138 inches single threaded stud  Nonpile-up Contact Arrangement:  1 pole, single throw, normally closed, momentary action  Terminal Type:	
Overall Height:  1.000 inches  Body Height:  0.467 inches  Overall Diameter:  0.625 inches  Tempurature Sensing Element Type: Internal sensor  Mounting Method:  Threaded stud  Thready Qty Per Inch (tpi):  32 single threaded stud  Contact Action Stimulus: Increase  Thread Size:  0.138 inches single threaded stud  Nonpile-up Contact Arrangement:  1 pole, single throw, normally closed, momentary action  Terminal Type:	
1.000 inches  Body Height: 0.467 inches  Overall Diameter: 0.625 inches  Tempurature Sensing Element Type: Internal sensor  Mounting Method: Threaded stud  Thready Qty Per Inch (tpi): 32 single threaded stud  Contact Action Stimulus: Increase  Thread Size: 0.138 inches single threaded stud  Nonpile-up Contact Arrangement: 1 pole, single throw, normally closed, momentary action  Terminal Type:	
Body Height:  0.467 inches  Overall Diameter:  0.625 inches  Tempurature Sensing Element Type: Internal sensor  Mounting Method: Threaded stud  Thready Qty Per Inch (tpi):  32 single threaded stud  Contact Action Stimulus: Increase  Thread Size:  0.138 inches single threaded stud  Nonpile-up Contact Arrangement:  1 pole, single throw, normally closed, momentary action  Terminal Type:	
Overall Diameter:  0.625 inches  Tempurature Sensing Element Type: Internal sensor Mounting Method: Threaded stud  Thready Qty Per Inch (tpi): 32 single threaded stud  Contact Action Stimulus: Increase  Thread Size: 0.138 inches single threaded stud  Nonpile-up Contact Arrangement: 1 pole, single throw, normally closed, momentary action  Terminal Type:	
Overall Diameter:  0.625 inches  Tempurature Sensing Element Type: Internal sensor  Mounting Method: Threaded stud  Thready Qty Per Inch (tpi): 32 single threaded stud  Contact Action Stimulus: Increase  Thread Size: 0.138 inches single threaded stud  Nonpile-up Contact Arrangement: 1 pole, single throw, normally closed, momentary action  Terminal Type:	
Tempurature Sensing Element Type: Internal sensor Mounting Method: Threaded stud Thready Qty Per Inch (tpi): 32 single threaded stud Contact Action Stimulus: Increase Thread Size: 0.138 inches single threaded stud Nonpile-up Contact Arrangement: 1 pole, single throw, normally closed, momentary action Terminal Type:	
Tempurature Sensing Element Type: Internal sensor Mounting Method: Threaded stud Thready Qty Per Inch (tpi): 32 single threaded stud Contact Action Stimulus: Increase Thread Size: 0.138 inches single threaded stud Nonpile-up Contact Arrangement: 1 pole, single throw, normally closed, momentary action Terminal Type:	
Internal sensor  Mounting Method: Threaded stud Thready Qty Per Inch (tpi): 32 single threaded stud Contact Action Stimulus: Increase Thread Size: 0.138 inches single threaded stud Nonpile-up Contact Arrangement: 1 pole, single throw, normally closed, momentary action Terminal Type:	
Mounting Method: Threaded stud Thready Qty Per Inch (tpi): 32 single threaded stud Contact Action Stimulus: Increase Thread Size: 0.138 inches single threaded stud Nonpile-up Contact Arrangement: 1 pole, single throw, normally closed, momentary action Terminal Type:	
Thready Qty Per Inch (tpi):  32 single threaded stud  Contact Action Stimulus: Increase  Thread Size:  0.138 inches single threaded stud  Nonpile-up Contact Arrangement:  1 pole, single throw, normally closed, momentary action  Terminal Type:	
Thready Qty Per Inch (tpi):  32 single threaded stud  Contact Action Stimulus: Increase  Thread Size:  0.138 inches single threaded stud  Nonpile-up Contact Arrangement:  1 pole, single throw, normally closed, momentary action  Terminal Type:	
32 single threaded stud  Contact Action Stimulus: Increase  Thread Size: 0.138 inches single threaded stud  Nonpile-up Contact Arrangement: 1 pole, single throw, normally closed, momentary action  Terminal Type:	
Contact Action Stimulus: Increase Thread Size: 0.138 inches single threaded stud Nonpile-up Contact Arrangement: 1 pole, single throw, normally closed, momentary action Terminal Type:	
Increase Thread Size: 0.138 inches single threaded stud Nonpile-up Contact Arrangement: 1 pole, single throw, normally closed, momentary action Terminal Type:	
<ul><li>0.138 inches single threaded stud</li><li>Nonpile-up Contact Arrangement:</li><li>1 pole, single throw, normally closed, momentary action</li><li>Terminal Type:</li></ul>	
Nonpile-up Contact Arrangement:  1 pole, single throw, normally closed, momentary action  Terminal Type:	
Nonpile-up Contact Arrangement:  1 pole, single throw, normally closed, momentary action  Terminal Type:	
Terminal Type:	
Terminal Type:	
Contact Load Current Rating:	
15.0 amperes resistive load single voltage	
Contact Adjustability:	
Actuation point not adjustable, manual reset	

**Contact Stimulus Rating:** 

185.00 actuation point degrees fahrenheit

**Contact Voltage Rating In Volts:** 

120.0 ac at sea level single voltage

Media For Which Designed:

Gas or liquid

**Precious Material And Location:** 

Contact surfaces gold

**Precious Material:** 

Gold

Style Designator:

Disc

**Thread Series Designator:** 

Unc single threaded stud

## NSN 5930-01-157-9501

Thermostatic Switch - Page 2 of 2



_				-		
C	h	0	Iŧ.		ife:	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A048b0