NSN 5930-01-158-9087

Push Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-158-9087

- **Body Style:**
- Panel mounted
- **Overall Length:**
- 2.450 inches
- **Overall Height:**
- 1.000 inches

Overall Width:

0.750 inches

Body Width:

- 0.655 inches
- **Body Height:**
- 0.905 inches

Case Material:

Metal

Actuator Length:

0.680 inches

Actuator Style:

Rectangular

- Actuator Height:
- 0.250 inches

Actuator Width:

0.430 inches

Actuator Color:

Green single actuator and blue single actuator

Illuminated Actuator Color:

Green single actuator and blue single actuator

Illuminated Actuator Color Sequence:

Upper half of actuator green lower half of actuator blue

Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Mounting Surface To Terminal End Distance:

2.200 inches

Inclosure Type:

Fully enclosed

Mounting Method:

Panel

Nonpile-up Contact Arrangement:

4 pole, double throw, both positions maintained single switch unit

Contact Load Current Rating At Maximum Rated Voltage:

3.000 amperes resistive dc and 1.500 amperes inductive dc and 1.500 amperes lamp dc and 3.000 amperes resistive ac and 1.500 amperes

inductive ac and 1.000 amperes lamp ac

Special Features:

Horizontally split lens

NSN 5930-01-158-9087

Push Switch - Page 2 of 2



Test Data Document:

81349-mil-s-22885 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And Quantity:
15 tab, solder lug
Specification Data:
81349-mil-s-22885/58 government specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A053a0