NSN 5930-01-159-2606

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-159-2606 **Thread Class:** 2b single mounting facility **Hazardous Locations/environmental Protection:** Dustproof **Overall Length: 3.313** inches **Overall Height:** 2.810 inches **Overall Width:** 2.810 inches **Shaft Length:** 1.125 inches single actuator **Individual Section Quantity: Knob Manufacturer Code:** 82121 **Knob Manufacturer Part Number:** Α **Longest Horizontal Distance Between Mounting Centers:** 2.300 inches single mounting facility **Longest Vertical Distance Between Mounting Centers:** 2.300 inches single mounting facility **Switch Contact Basic Design:** Nonpile-up symmetrical **Pole Quantity:** 1 single section rear **Throw Quantity:** 11 single section rear **Mounting Method:** Bracket single mounting facility and threaded hole single mounting facility **Features Provided:** Actuator knob Thready Qty Per Inch (tpi): 24 single mounting facility **Thread Size:** 0.190 inches single mounting facility **Contact Voltage Rating In Volts:** 28.0 dc at sea level

Mounting Facility Pattern:

Four position rectangular single mounting facility

Switch Actuator Indexing Position Quantity:

12 single actuator

NSN 5930-01-159-2606Rotary Switch - Page 2 of 2



Shaft Type:
Rectangular/square, threaded hole single actuator
Square Shaft Size:
0.250 inches single actuator
Terminal Type:
Tab w/screw
Contact Switching Action:
Breaks before makes single section rear
Switch Actuator Positioning Increment:
30.0 degrees single actuator
Switch Actuator Stop Device Type:
Adjustable stop single actuator
Contact Load Current Rating:
7.5 amperes resistive load dc at sea level
Precious Material And Location:
Contact surfaces silver
Precious Material:
Silver
Style Designator:
Tap, circuit selector
Thread Series Designator:
Unc single mounting facility
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A052b0