NSN 5930-01-159-3277

Hazardous Locations/environmental Protection:

General purpose-nema type 1

Overall Length: 5.250 inches

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-159-3277

Overall Height:
3.156 inches
Overall Width:
2.562 inches
Body Length:
4.625 inches
Unthreaded Mounting Hole Diameter:
0.219 inches
Capillary Tube Length:
72.0 inches
Bulb Length:
8.500 inches
Bulb Diameter:
0.625 inches
Longest Horizontal Distance Between Mounting Centers:
1.625 inches
Longest Vertical Distance Between Mounting Centers:
1.375 inches
Tempurature Sensing Element Type:
Capillary tube-bulb
Mounting Method:
Base and unthreaded hole
Features Provided:
Electrical access port
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Two position diagonal
Nonpile-up Contact Arrangement:
1 pole, double throw, one position momentary
Terminal Type:
Screw
Contact Load Current Rating:
5.0 amperes resistive load single voltage
Contact Adjustability:
Deactuation point adjustable, preset and actuation point adjustable, preset
Contact Adjustment Range:
+60.00/+190.00 actuation point degrees fahrenheit and +60.00/+190.00 deactuation point degrees fahrenheit

NSN 5930-01-159-3277

Thermostatic Switch - Page 2 of 2



Contact Adjı	ustment	Type:
--------------	---------	-------

External deactuation point screw and external actuation point screw

Contact Stimulus Rating:

110.00 actuation point degrees fahrenheit and 90.00 deactuation point degrees fahrenheit

Contact Voltage Rating In Volts:

240.0 ac at sea level single voltage

Media For Which Designed:

Gas or liquid

Style Designator:

Rectangular

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A048b0