NSN 5930-01-162-3678

Thermostatic Switch - Page 1 of 2

Thread Class:



View Online at https://aerobasegroup.com/nsn/5930-01-162-3678

2a single threaded stud					
Hazardous Locations/environmental Protection:					
Moisture resistant					
Overall Height:					
0.960 inches					
Body Height:					
0.290 inches					
Overall Diameter:					
0.605 inches					
End Application:					
5895-01-129-1827 central, communications					
Tempurature Sensing Element Type:					
Internal sensor					
Operating Tempurature Rating:					
Between -20.0 degrees fahrenheit and 500.0 degrees fahrenheit					
Mounting Method:					
Threaded stud					
Features Provided:					
Hermetically sealed case					
Thready Qty Per Inch (tpi):					
32 single threaded stud					
Contact Action Stimulus:					
Decrease					
Thread Size:					
0.138 inches single threaded stud					
Nonpile-up Contact Arrangement:					
1 pole, single throw, normally closed, momentary action					
Terminal Type:					
Tab, solder lug					
Contact Load Current Rating:					
7.0 amperes resistive load third voltage					
Contact Adjustability:					
Actuation point not adjustable and deactuation point not adjustable					
Contact Stimulus Rating:					
150.00 actuation point degrees fahrenheit and 200.00 deactuation point degrees fahrenheit					
Contact Voltage Rating In Volts:					
30.0 dc at sea level third voltage					
Media For Which Designed:					
Gas or liquid					
Style Designator:					
Disc					

NSN 5930-01-162-3678

Thermostatic Switch - Page 2 of 2



	T	hr	ead	Series	Design	nator
--	---	----	-----	---------------	--------	-------

Unc single threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0