

View Online at <https://aerobasegroup.com/nsn/5930-01-162-3678>

Thread Class:

2a single threaded stud

Hazardous Locations/environmental Protection:

Moisture resistant

Overall Height:

0.960 inches

Body Height:

0.290 inches

Overall Diameter:

0.605 inches

End Application:

5895-01-129-1827 central, communications

Tempurature Sensing Element Type:

Internal sensor

Operating Tempurature Rating:

Between -20.0 degrees fahrenheit and 500.0 degrees fahrenheit

Mounting Method:

Threaded stud

Features Provided:

Hermetically sealed case

Thready Qty Per Inch (tpi):

32 single threaded stud

Contact Action Stimulus:

Decrease

Thread Size:

0.138 inches single threaded stud

Nonpile-up Contact Arrangement:

1 pole, single throw, normally closed, momentary action

Terminal Type:

Tab, solder lug

Contact Load Current Rating:

7.0 amperes resistive load third voltage

Contact Adjustability:

Actuation point not adjustable and deactuation point not adjustable

Contact Stimulus Rating:

150.00 actuation point degrees fahrenheit and 200.00 deactuation point degrees fahrenheit

Contact Voltage Rating In Volts:

30.0 dc at sea level third voltage

Media For Which Designed:

Gas or liquid

Style Designator:

Disc

Thread Series Designator:

Unc single threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0