NSN 5930-01-164-4368

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-164-4368

Hazardous Locations/environmental Protection:
Dustproof
Overall Length:
2.000 inches
Overall Height:
0.907 inches
Body Diameter:
0.922 inches
Mounting Slot Width:
0.170 inches
Body Height:
0.891 inches
Distance Between Mounting Facility Centers:
Between 1.560 inches and 1.690 inches
End Application:
Radar set an/gpn-27
Tempurature Sensing Element Type:
Internal sensor
Mounting Method:
Bracket and slot
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Terminal Type:
Quick disconnect, male
Contact Load Current Rating:
25.0 amperes resistive load single voltage and 10.0 amperes inductive load single voltage
Contact Adjustability:
Actuation point not adjustable and deactuation point not adjustable
Contact Stimulus Rating:
150.00 actuation point degrees fahrenheit and 115.00 deactuation point degrees fahrenheit
Contact Voltage Rating In Volts:
120.0 ac at sea level single voltage
Media For Which Designed:
Gas
Style Designator:
Disc w/flange
Shelf Life:
N/a

NSN 5930-01-164-4368

Thermostatic Switch - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A048b0