# NSN 5930-01-165-2978

Thermostatic Switch - Page 1 of 2



third voltage

degrees fahrenheit

View Online at https://aerobasegroup.com/nsn/5930-01-165-2978

	ons/environmental Protection:
Dustproof	
Overall Length:	
Between 1.200 inc	hes and 1.260 inches
<b>Overall Height:</b>	
0.711 inches	
Body Diameter:	
Between 0.560 inc	hes and 0.640 inches
Body Height:	
Between 0.350 inc	hes and 0.405 inches
Unthreaded Mou	ting Hole Diameter:
0.140 inches	
Distance Betwee	n Mounting Facility Centers:
Between 0.930 inc	hes and 0.944 inches
Tempurature Ser	sing Element Type:
Internal sensor	
Operating Tempu	rature Rating:
Between -65.0 deg	rees fahrenheit and 400.0 degrees fahrenheit
Mounting Method	:
Bracket and unthre	eaded hole
Features Provide	d:
Hermetically seale	d case
Contact Action S	imulus:
Increase	
Mounting Facility	Pattern:
Two position in-line	9
Nonpile-up Conta	ct Arrangement:
1 pole, double thr	ow, one position momentary
Terminal Type:	
Tab, solder lug	
Contact Load Cu	rent Rating:
2.0 amperes resis	ive load third voltage and 1.0 amperes inductive load third voltage and 500.0 milliamperes lamp load
Contact Adjustab	ility:
Deactuation point	not adjustable and actuation point not adjustable
Contact Stimulus	Rating:
34.00 deactuation	point degrees fahrenheit and 46.00 deactuation point degrees fahrenheit and 6.00 differential point
and 34.00 differen	ial point degrees fahrenheit
Contact Voltage	Rating In Volts:
28.0 dc at sea leve	el second voltage
Frequency In Her	tz:
60.0 first voltage	
Media For Which	Designed:

# NSN 5930-01-165-2978

Thermostatic Switch - Page 2 of 2



#### Style Designator:

Disc w/flange

### **Test Data Document:**

81349-mil-s-24236 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Specification Data:**

81349-mil-s-24236/24 government specification

Shelf Life: N/a Unit Of Measure: --Demilitarization: No Fiig:

A048b0