

View Online at <https://aerobasegroup.com/nsn/5930-01-167-0030>

Thread Class:

2a all bolt

Hazardous Locations/environmental Protection:

Watertight

Overall Length:

2.906 inches

Overall Height:

8.281 inches

Overall Width:

2.375 inches

Body Height:

3.812 inches

Longest Horizontal Distance Between Mounting Centers:

1.906 inches

Longest Vertical Distance Between Mounting Centers:

2.438 inches

Temperature Sensing Element Type:

Bulb

Mounting Method:

Bolt and threaded bushing

Features Provided:

Electrical access port

Thready Qty Per Inch (tpi):

32 all bolt

Contact Action Stimulus:

Increase

Thread Size:

0.750 inches single threaded bushing

Mounting Facility Pattern:

Two position diagonal

Nonpile-up Contact Arrangement:

2 pole, double throw, one position momentary

Terminal Type:

Screw

Contact Load Current Rating:

10.0 amperes resistive load second voltage

Contact Adjustability:

Actuation point adjustable

Contact Adjustment Range:

+75.00/+200.00 actuation point degrees fahrenheit

Contact Adjustment Type:

External actuation point knob

Contact Voltage Rating In Volts:

480.0 ac at sea level third voltage

Media For Which Designed:

Gas or liquid

Style Designator:

Rectangular

Thread Series Designator:

Unc all bolt

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A048b0