NSN 5930-01-169-0930

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-169-0930

view chilline at https://defoblasegroup.com/hsh/0000 01 100 0000
Overall Length:
1.250 inches
Overall Height:
4.000 inches
Overall Width:
2.500 inches
Body Height:
3.000 inches
Unthreaded Mounting Hole Diameter:
0.218 inches
Capillary Tube Length:
48.0 inches
Bulb Length:
3.750 inches
Bulb Diameter:
0.375 inches
Longest Horizontal Distance Between Mounting Centers:
0.375 inches
Longest Vertical Distance Between Mounting Centers:
3.500 inches
Tempurature Sensing Element Type:
Capillary tube-bulb
Mounting Method:
Bracket and unthreaded hole
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Two position diagonal
Nonpile-up Contact Arrangement:
1 pole, single throw, normally closed, double break, momentary action
Terminal Type:
Wire lead
Contact Load Current Rating:
25.0 amperes resistive load first voltage
Contact Adjustability:
Actuation point adjustable
Contact Adjustment Range:
+0.00/+50.00 actuation point degrees fahrenheit
Contact Adjustment Type:
External actuation point knob with scale
Contact Voltage Rating In Volts:
277.0 ac at sea level second voltage

NSN 5930-01-169-0930

Thermostatic Switch - Page 2 of 2



Media For Which Designed:

Gas or liquid

Style Designator:

Rectangular

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A048b0