

View Online at <https://aerobasegroup.com/nsn/5930-01-169-3350>

Thread Class:

2b

Hazardous Locations/environmental Protection:

Corrosion resistant

Overall Height:

1.197 inches

Overall Width:

0.390 inches

Case Material:

Plastic

Actuator Length:

Between 0.539 inches and 0.549 inches

Actuator Style:

Roller arm

Actuator Free Position Height:

0.687 inches

Maximum Voltage Rating In Volts:

28.0 dc

Inclosure Type:

Hermetically sealed

Mounting Method:

Threaded hole

Thready Qty Per Inch (tpi):

32

Thread Size:

0.138 inches

Nonpile-up Contact Arrangement:

1 pole, double throw, both positions maintained single switch unit

Switch Release Force:

4.0 ounces

Switch Actuating Force:

25.0 ounces

Actuator Movement:

Between 0.040 pretravel inches and 0.125 overtravel inches and 0.030 differential inches

Contact Load Current Rating At Maximum Rated Voltage:

3.000 amperes resistive dc and 1.000 amperes inductive dc and 1.000 amperes lamp dc

Thread Series Designator:

Unc

Terminal Type And Quantity:

3 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A053a0