

View Online at <https://aerobasegroup.com/nsn/5930-01-172-7304>

**Hazardous Locations/environmental Protection:**

Vibration resistant

**Overall Length:**

0.834 inches

**Overall Height:**

0.414 inches

**Body Diameter:**

0.660 inches

**Unthreaded Mounting Hole Diameter:**

0.115 inches

**Distance Between Mounting Facility Centers:**

0.812 inches

**End Application:**

Sonar set an/bqq- (v)

**Temperature Sensing Element Type:**

Internal sensor

**Mounting Method:**

Bracket and unthreaded hole

**Features Provided:**

Automatic reset

**Contact Action Stimulus:**

Increase

**Mounting Facility Pattern:**

Two position in-line

**Nonpile-up Contact Arrangement:**

1 pole, single throw, normally closed, momentary action

**Terminal Type:**

Tab, solder lug

**Contact Load Current Rating:**

2.0 amperes resistive load second voltage

**Contact Adjustability:**

Actuation point not adjustable

**Contact Stimulus Rating:**

170.00 actuation point degrees fahrenheit and 2.00 differential point degrees fahrenheit and 4.00 differential point degrees fahrenheit

**Contact Voltage Rating In Volts:**

30.0 dc at sea level second voltage

**Media For Which Designed:**

Gas or liquid

**Precious Material And Location:**

Contacts silver

**Precious Material:**

Silver

**Style Designator:**

Disc

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A048b0