

View Online at <https://aerobasegroup.com/nsn/5930-01-174-8592>

**Thread Class:**

2b all threaded hole

**Overall Length:**

5.660 inches

**Outside Diameter:**

0.250 inches first connection

**Overall Height:**

2.290 inches

**Overall Width:**

3.250 inches

**Distance Between Mounting Facility Centers:**

1.000 inches

**End Application:**

Lgm-30 minuteman missile

**Pressure Switch Type:**

Differential

**Mounting Method:**

Bracket and threaded hole

**Features Provided:**

Manual reset button

**Contact Action Stimulus:**

Increase

**Thread Size:**

0.190 inches all threaded hole

**Mounting Facility Pattern:**

Two position in-line

**Nonpile-up Contact Arrangement:**

1 pole, double throw, one position momentary

**Criticality Code Justification:**

Feat

**Terminal Type:**

Screw

**Contact Load Current Rating:**

6.25 amperes resistive load first voltage

**Contact Adjustability:**

Actuation point not adjustable, manual reset

**Contact Stimulus Rating:**

70.00 actuation point pounds per square inch gage

**Contact Voltage Rating In Volts:**

240.0 ac at sea level second voltage

**Pressure Connector Type:**

Flared, threaded external all connections

**Special Features:**

Weapon system essential

**Media For Which Designed:**

Liquid

**Thread Series Designator:**

Unf all threaded hole

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A048b0