NSN 5930-01-175-3274

Thermostatic Switch - Page 1 of 2



view Online at https://aerobasegroup.com/nsn/5930-01-175-3274
Thread Class:
2a single threaded stud
Thread Length:
0.187 inches single threaded stud
Overall Length:
0.282 inches
Overall Height:
0.614 inches
Body Diameter:
0.189 inches
Tempurature Sensing Element Type:
Disc
Operating Tempurature Rating:
Between -30.0 degrees fahrenheit and 365.0 degrees fahrenheit
Mounting Method:
Threaded stud
Features Provided:
Hermetically sealed case and electrically insulated
Thready Qty Per Inch (tpi):
40 single threaded stud
Contact Action Stimulus:
Increase
Thread Size:
0.112 inches single threaded stud
Nonpile-up Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
1.0 amperes resistive load first voltage
Contact Adjustability:
Actuation point not adjustable
Contact Stimulus Rating:
110.00 actuation point degrees fahrenheit and 80.00 deactuation point degrees fahrenheit
Contact Voltage Rating In Volts:
28.0 dc at sea level second voltage
Frequency In Hertz:
60.0 first voltage
Media For Which Designed:
Gas or liquid
Style Designator:

Disc

NSN 5930-01-175-3274

Thermostatic Switch - Page 2 of 2



Test Data Document:

81349-mil-s-24236 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Thread Series Designator:

Unc single threaded stud

Specification Data:

81349-mil-s-24236/19 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0