NSN 5930-01-177-2829

Code Indicating Wheel Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-177-2829

Thread Class:

2b single mounting facility

Hazardous Locations/environmental Protection:

Moisture resistant

Overall Length:

0.480 inches

Overall Height:

2.100 inches

Overall Width:

1.400 inches

Distance Between Mounting Facility Centers:

0.960 inches single mounting facility

Individual Section Quantity:

1

Mounting Method:

Bracket single mounting facility and threaded hole single mounting facility

Actuator Type:

Push button single actuator

Features Provided:

Metallic inclosure

Thready Qty Per Inch (tpi):

56 single mounting facility

Thread Size:

0.086 inches single mounting facility

Contact Voltage Rating In Volts:

28.0 dc at sea level

Mounting Facility Pattern:

Two position in-line single mounting facility

Switch Actuator Indexing Position Quantity:

16 single actuator

Terminal Type:

Printed circuit

Contact Load Current Rating:

125.0 milliamperes resistive load dc at sea level

Readout Indicator Marking:

0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 single section

Contact Arrangement Truth Table:

Bcd with complement, 1 pole - 16 positions single section

Special Features:

Illuminated legend

Color:

Black single body

NSN 5930-01-177-2829

Code Indicating Wheel Switch - Page 2 of 2



| Style | Des | siar | ato | r- |
|-------|-----|------|------|----|
| Otylo | | , gi | iato | |

Rectangular indicating

Thread Series Designator:

Unc single mounting facility

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A052b0