## NSN 5930-01-177-4488

Slide Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-177-4488

view Offiline at https://defobasegroup.com/histi/0900-01-177-4400
Thread Class:
2b
Body Style:
Hole mounted
Overall Length:
1.375 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.125 inches
Overall Height:
0.954 inches
Overall Width:
0.531 inches
Body Width:
0.531 inches
Body Height:
0.438 inches
Case Material:
Metal
Actuator Length:
0.281 inches
Actuator Height:
0.344 inches
Actuator Width:
0.225 inches
Actuator Position-action Relationship:
Left position maintained and right position maintained
Actuator Color:
Black single actuator
Maximum Voltage Rating In Volts:
250.0 ac
Mounting Method:
Bracket and threaded hole
Thready Qty Per Inch (tpi):
40
Thread Size:
0.112 inches
Nonpile-up Contact Arrangement:
2 pole, double throw, both positions maintained single switch unit
Contact Load Current Rating At Maximum Rated Voltage:
0.500 amperes resistive dc and 1.500 amperes resistive ac

**Precious Material And Location:** 

Contact and terminal surfaces silver

## **NSN 5930-01-177-4488** Slide Switch - Page 2 of 2



inread Series Designator:
Unc
Terminal Type And Quantity:
6 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A053a0