NSN 5930-01-179-7920

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-179-7920

Hazardous Locations/environmental Protection:
Watertight
Overall Length:
2.750 inches
Overall Height:
7.906 inches
Overall Width:
2.375 inches
Body Height:
3.812 inches
Tempurature Sensing Element Type:
Immersion well
Mounting Method:
Immersion well
Contact Action Stimulus:
Decrease
Nonpile-up Contact Arrangement:
1 pole, double throw, both positions maintained
Terminal Type:
Screw
Contact Load Current Rating:
3.0 amperes resistive load single voltage
Contact Adjustability:
Deactuation point adjustable and actuation point adjustable
Contact Adjustment Range:
+75.00/+200.00 actuation point degrees fahrenheit or +74.00/+197.00 deactuation point degrees fahrenheit
Contact Adjustment Type:
External deactuation point screw or external actuation point screw
Contact Stimulus Rating:
1.00 differential point degrees fahrenheit and 3.00 differential point degrees fahrenheit
Contact Voltage Rating In Volts:
450.0 ac at sea level single voltage
Special Features:
Stainless steel thermowell sensing unit attached to base
Media For Which Designed:
Gas or liquid
Style Designator:
Rectangular
Shelf Life:
N/a
Unit Of Maggura

--

NSN 5930-01-179-7920

Thermostatic Switch - Page 2 of 2



_		••	• •				
וו	em	ш	112	rız	211	n	٠.

No

Fiig:

A048b0