# NSN 5930-01-183-9176

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-183-9176

## **Overall Length:**

0.834 inches

## **Overall Height:**

0.354 inches

# **Body Diameter:**

0.660 inches

#### **Tempurature Sensing Element Type:**

Internal sensor

#### **Operating Tempurature Rating:**

Between -10.0 degrees fahrenheit and 400.0 degrees fahrenheit

#### **Mounting Method:**

Surface

#### **Features Provided:**

Hermetically sealed case

#### **Contact Action Stimulus:**

Increase

## Nonpile-up Contact Arrangement:

1 pole, single throw, normally open, momentary action

#### **Terminal Type:**

Tab, solder lug

## **Contact Load Current Rating:**

2.0 amperes resistive load second voltage and 1.0 amperes inductive load second voltage and 1.0 amperes lamp load second voltage

## Contact Adjustability:

Actuation point not adjustable and deactuation point not adjustable

## **Contact Stimulus Rating:**

165.00 actuation point degrees fahrenheit and 2.00 differential point degrees fahrenheit and 4.00 differential point degrees fahrenheit

## **Contact Voltage Rating In Volts:**

28.0 dc at sea level second voltage

## Frequency In Hertz:

60.0 first voltage

#### Media For Which Designed:

Gas or liquid

# Style Designator:

Disc

# Test Data Document:

81349-mil-s-24236 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# **Specification Data:**

81349-mil-s-24236/20 government specification

## Shelf Life:

N/a

# Unit Of Measure:

# NSN 5930-01-183-9176

Thermostatic Switch - Page 2 of 2

Demilitarization:

No

Fiig:

A048b0

