Code Indicating Wheel Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-188-2421

Overall Length:
5.510 inches
Overall Height:
1.865 inches
Overall Width:
1.150 inches
Unthreaded Mounting Hole Diameter:
0.100 inches single mounting facility
Individual Section Quantity:
7
Longest Horizontal Distance Between Mounting Centers:
5.340 inches single mounting facility
Longest Vertical Distance Between Mounting Centers:
0.900 inches single mounting facility
Operating Tempurature Range:
-65.0/+85.0 degrees celsius
End Application:
5820-01-145-2459 multiplexer
Mounting Method:
Bracket single mounting facility and unthreaded hole single mounting facility
Actuator Type:
Thumbwheel all actuators
Contact Voltage Rating In Volts:
28.0 dc at sea level
Mounting Facility Pattern:
Four position rectangular single mounting facility
Switch Actuator Indexing Position Quantity:
4 2nd actuator
Terminal Type:
Printed circuit
Contact Load Current Rating:
125.0 milliamperes resistive load dc at sea level
Readout Indicator Marking:
0, 1, 2, 3, 4, 5, 6, 7, 8, 9 7th section
Contact Arrangement Truth Table:
Bcd, 1 pole - 10 positions single section
Special Features:
Five spacers each 0.250 in. Lg
Color:
White single body
Precious Material And Location:
Circuit plating gold

Circuit plating gold

Code Indicating Wheel Switch - Page 2 of 2

Precious Material:

Gold

Style Designator:

Rectangular inline indicating

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0

