NSN 5930-01-188-4232

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-01-188-4232

Thread Class:

2a single pressure connection

Overall Length:

5.188 inches

Overall Height:

5.469 inches

Overall Width:

2.772 inches

Body Height:

2.750 inches

Unthreaded Mounting Hole Diameter:

0.281 inches

Longest Horizontal Distance Between Mounting Centers:

2.406 inches

Shortest Horizontal Distance Between Mounting Centers:

0.656 inches

Longest Vertical Distance Between Mounting Centers:

3.281 inches

Tempurature Sensing Element Type:

Bulb

Operating Tempurature Rating:

Between 50.0 degrees fahrenheit and 250.0 degrees fahrenheit

Mounting Method:

Bracket and unthreaded hole

Features Provided:

Electrical access port

Contact Action Stimulus:

Decrease

Thread Size:

0.750 inches single pressure connection

Mounting Facility Pattern:

Isosceles triangle

Nonpile-up Contact Arrangement:

2 two circuit, both positions maintained

Terminal Type:

Screw

Contact Load Current Rating:

9.6 amperes resistive load fifth voltage

Contact Adjustability:

Actuation point adjustable

Contact Adjustment Range:

+25.00/+90.00 actuation point pounds per square inch gage

NSN 5930-01-188-4232

Thermostatic Switch - Page 2 of 2



Contact Adjustment Type: External actuation point pointer with scale **Contact Voltage Rating In Volts:** 550.0 dc at sea level eighth voltage Media For Which Designed: Gas or liquid **Precious Material And Location:** Contact surfaces silver **Precious Material:** Silver Style Designator: Rectangular **Thread Series Designator:** Unf single pressure connection Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A048b0